

INDEX MAPS.

T.30N, R. 7E. 2nd Mer.

	325	325	324	324	324	323						
327	6	354	5	348	4	344	3	342	2	342	1	323
	354	353	347	344	340	342						
327	7	353	8	347	9	343	10	340	11	341	12	323
	353	352	346	343	339-331	330	331-341					
327	18	352	17	346	16	343	15	³³⁹ 333	14	330	13	322
	351	351	346	338	333	333	330					
326	19	351	20	345	21		22	332	23	329	24	322
	350	350	345	338-335	332	329						
326	30	349	29	345	28	³³⁷ 334	27	332	26	328	25	321
	349	348	336-335	334	331	328						
326	31	348	32	336	33	333	34	331	35	328	36	321
	320	320	335	319	319	319	319					

Meanders 355

T.31N, R. 7E. 2nd Mer.

367	6	391	5	385	4	381	3	377	2	373	1	367
	390	390	384	381	377	373						
368	7	389	8	384	9	380	10	376	11	372	12	367
	390	389	384	380	376	372						
368	18	389	17	383	16	379	15	375	14	371	13	366
	388	388	383	379	375	371						
368	19	387	20	383	21	379	22	375	23	371	24	366
	387	387	382	378	374	370						
367	30	386	29	382	28	378	27	374	26	370	25	366
	386	386	382	378	374	370						
367	31	385	32	381	33	377	34	373	35	369	36	365
	365	364	364	363	363	363	363					

The figures on the lines refer to the page.

Township N. 31 North of Range N. 7 East 2nd Mer Indiana. 363

South Boundary.

- West On South Boundary of Sec 30. var. 5' 45" 6
 10. 30 A Buck 14 in. diam.
 40. 00 Set a q. Sec. post from which
 a Buck 8 in. diam. bears N 26 W 15 links dist. &
 a Do 10 " " " N 65 E 38 " "
 49. 54 A Buck 12 " "
 54 00 A Brook 4 links wide. Course South
 59 83 A Buck 13 in. diam.
 80. 00 Set a Post Cor. to Sec. 35 & 36 from which
 a Buck 8 in. diam. bears N. 54 E. 8 1/2 links dist. &
 a Do 14 " " " N. 40 1/2 W. 36 " "
 Land incl. & 1/2 rate. Timber. Oak. Ash. Buck.
 Sugar. Elm. Lyrin. &c.

-
- West On South Boundary of Sec 35
 27. 93 A Buckeye 7 in. diam.
 40. 00 Set a q. Sec post from which
 a B. Ash 14 in. diam. bears N. 33 1/2 E. 51 links dist. &
 a Buckeye 4 " " " N. 32 W. 64 " "
 42. 00 A Brook 8 links wide. Course S E
 49. 00 A Do 2 " " " N E
 62. 10 A Buck 10 in. diam.
 80 00 Set a Post Corner to Sec. 34 & 35 from which
 an Elm 8 in. diam. bears N. 42 E. 8 links dist. &
 a Buck 6 " " " N. 44 1/2 W. 25 " "
 Land &c. same

-
- West On South Boundary of Sec 34
 17 52 A Buck 14 in. diam.
 33. 33 A W. Ash 24 " "
 40. 00 Set a q. Sec. post from which
 a Buck 9 in. diam. bears N. 62 E. 14 links dist. &
 a Sugar 22 " " " N. 61 1/2 W. 24 " "
 57. 57 A Buck 18 " "
 74 70 A Do 12 " "

T. B. N. P. 7 E 2nd M. Indiana.

77.00 A Brook 5 links wide. Course S.E.
 80.00 Set a Post Cor. to Sec. 33 & 34 from which
 a B. Oak 38 in. diam. bears N 8 W 22 links dist &
 a Beech 8 " " " N 40 E 41 " "
 Land &c same as last mile.

Notes On South Boundary of Sec 33
 4.00 A Brook 8 links wide. Course N.E.
 5.00 Same " " " " S.E.
 13.31 A Sugar 16 in. diam.
 35.41 A Beech 8 " "
 40.00 Set a post cor. from which
 a Beech 12 in. diam. bears N. 40 E. 25 links dist &
 a Do 14 " " " N. 40 W. 41 " "
 50.93 A Beech 18 " "
 67.40 A White Wood 30 in. diam.
 80.00 Set a Post Cor. to Sec. 32 & 33 from which
 a Beech 8 in. diam. bears N. 88 E. 20 links dist &
 a Do 12 " " " N. 30 W. 24 " "
 Land &c same.

Notes On South Boundary of Sec 32
 1.75 A Stream 6 links wide. Course S.E.
 12.60 A Beech 8 in. diam.
 27.48 A Do 12 " "
 40.00 Set a post cor. from which
 a Beech 10 in. diam. bears N. 72 E. 40 links dist &
 a Do 11 " " " N. 18 W. 28 " "
 40.00 A Brook 6 links wide. Course S.E.
 54.00 Another Brook 4 links wide. Course S.E.
 61.12 A Beech 24 in. diam.
 69.50 A Brook 12 links wide. Course South.
 77.00 Do 12 " " " N.E.
 80.00 Set a Post Cor. to Sec. 31 & 32 from which
 a Beech 4 in. diam. bears N. 88 E. 10 links dist &
 a Do 9 " " " N. 44 W. 12 " "

Land rolling & 1st rate. Timber Oak. Ash. Sugar
Beech & Lyrn. Underg^d same.

- West On South Boundary of Sec 31.
 6. 00 A Brook 10 links wide. Course S E.
 13. 57 A Beech 10 in. diam.
 40. 00 Set a q. Sec. post from which
 a W. Ash 14 in. diam. bears N 75 W 23 links dist. &
 a Beech 14 " " " N 45 E 11 " "
 48. 00 A Do 10 " "
 53. 92 Intersect the West Boundary 51 links North of Temp.
 Post. Set a Post from which
 a Beech 18 in. diam. bears S 30 W 11 links dist. &
 a Do 14 " " " S 38 E 24 " "
 Land &c. same.

- East Boundary
 North On East Boundary of Sec 36th var. 5. 50 E
 31. 41 A Beech 9 in. diam.
 33. 00 A Stream 25 links wide. Course S E.
 35. 00 Same " " " " S W.
 40. 00 Set a q. Sec post from which
 a Beech 10 in. diam. bears S 52 W 16 links dist. &
 a Do 6 " " " N. 80 W. 50 " "
 40. 10 A Stream 10 links wide. Course S E.
 42. 00 Same " " " " S W.
 43. 00 Same " " " " S E.
 55. 00 Same " " " " S W.
 56. 00 Same " " " " S E.
 56. 33 A W. Ash 12 in. diam.
 80. 00 Set a Post Cor. to Secs 25 & 36 from which
 a Beech 10 in. diam. bears N 82 W 13 links dist. &
 a Do 10 " " " S. 65 W. 54 " "
 Land rolling & 2nd rate. Timber. Oak. Beech. Ash.
 Elm. White wood &c. Underg^d same.

T 31. N. R 7 E 2nd Mer. Indiana

North On East Boundary of Sec 25

13. 59 A W Ash 10 in. diam.

40. 00 Set a q. Sec. post from which
a Buck 8 in. diam. bears S 2 W 9 links dist. &
a Do 28 " " " N. 30 W 34 " "

55. 91 A White Wood 34 in. diam.

80. 00 Set a Post Cor. to Sec. 24 & 25 from which
a White wood 32 in. diam. bears S. 27 W. 13 lks. dist. &
a Buck 4 " " " N. 28 W. 17 " "
Land &c same as last mile.

North On East Boundary of Sec 24

21. 00 A Buck 12 in. diam.

30. 63 A White Wood 24 in. diam.

40. 00 Set a q. Sec post from which
a B. Oak 6 in. diam. bears S 57 W. 49 links dist. &
a W. Oak 26 " " " N. 39 W. 29 " "

61. 41 A Buck 10 in. diam.

80. 00 Set a Post Cor. to Sec. 13 & 24 from which
a B. Oak 14 in. diam. bears S 23 W. 18 links dist. &
a White Wood 7 " " " N. 80 W. 7 1/2 " "
Land &c same as last mile

North On East Boundary of Sec 13

17. 14 An Elm 28 in. diam.

33. 80 A Buck 8 " "

40. 00 Set a q. Sec post from which
an Elm 9 in. diam. bears S. 4 W. 10 links dist. &
a Buck 7 " " " N. 42 W. 25 " "

53. 36 A Buck 10 " "

68. 97 An Ash 8 " "

80. 00 Set a Post Cor. to Sec. 12 & 13 from which
a Sugar 10 in. diam. bears S. 01 W. 18 links dist. &
a Hickory 8 " " " N. 22 W. 3 1/2 " "
Land &c much the same.

North On East Boundary of Sec 12
 18. 80 A Buck 20 in. diam.
 33 44 A Butternut 16 " "
 40. 00 Set a g. Sec post from which
 a W. Oak 30 in. diam. bears S. 63° W. 29 links dist. &
 an Elm 4 " " " N. 11 1/2° W. 23 " "
 62. 85 An Elm 16 " "
 80. 00 Set a Post Cor. to Sec. 1 & 12 from which
 a W. Ash 4 in. diam. bears S. 78° W. 6 links dist. &
 an Ironwood 4 in. " " N. 39° W. 44 " "
 Land &c. same as last mile.

North On East side of Sec 1.
 21. 00 A W. Oak 6 in. diam.
 40. 00 Set a g. Sec. post from which
 a W. Ash 6 in. diam. bears S. 49° W. 29 links dist. &
 a W. Oak 25 " " " N. 75° W. 24 " "
 52. 41 A Hickory 16 in. diam.
 80. 00 Set a Tempt. Town Corner.
 Land &c. same Oct 27th 1883

West Boundary var. 5.50' E
 North On East Boundary of Sec 30. T 31. N. R. 6 E.
 18 73 An Elm 20 in. diam.
 40. 00 Set a g. Sec post from which
 an Elm 9 in. diam. bears S. 6° W. 94 links dist. &
 a Do 30 " " " N. 4° W. 492 " "
 60 05 A Buck 10 in. diam.
 80. 00 Set a Post Cor. to Sec. 25 & 30 from which
 a Buck 9 in. diam. bears N. 44° W. 10 links dist. &
 a Do 18 " " " S. 58° W. 25 " "
 Land rolling and 1st rate. Timber. Sugar. Buck
 Elm Oak. & White Wood

North On East Boundary of Sec 25 T 31. N. R. 6 E.
 17. 91 A Hickory 10 in. diam.

T 31 N. R 7 E. 2nd Mer. Indiana.

- 40.00 Set a g. Sec post from which
a Buck 12 in. diam. bears N. 46 W. 16 links dist. &
a Do 12 " " " S 36 W. 12 " "
- 60.19 An Elm 18
- 80.00 Set a Post Cor. of Sec. 24 & 25 from which
a Buck 9 in. diam. bears S 36 W. 28 links dist. &
a Do 9 " " " N. 10 W. 28 " "
- Land &c. same

- North On East Boundary of Sec 24 T 31 N. R 7 E.
- 10.07 A Buck 20 in. diam.
- 40.00 Set a Red Oak 14 in. diam. for g. Sec Corner
- 59.04 A Buck 18 " "
- 72.00 Enter Miller Swamp.
- 80.00 Set Post Cor. to Sec. 13 & 24 in Miller Swamp.
from which a
Miller 4 in. diam. bears S 74 W. 42 links dist. & an
Elm 4 " " " N. 2 W. 40 " "
- Land &c. same

- North On East Boundary of Sec 13 T 31 N. R 7 E.
- 22.00 Leave the swamp.
- 22.84 A W. Oak 10 in. diam.
- 40.00 Set a g. Sec post from which
a Buck 10 in. diam. bears N. 25 W. 32 links dist. &
a Boxwood 6 " " " S. 13 W. 30 " "
- 62.74 A W. Oak 12 in. diam.
- 68.00 Enter Miller Swamp.
- 80.00 Set a Post Cor. to Sec. 12. & 13 from which
an Aspen 6 in. diam. bears N. 13 W. 43 links dist. &
a Do 11 " " " N. 61 W. 70 " "
- Land Rolling 2nd rate. Timber as before.

- North On East Boundary of Sec 12. T 31 N. R 7 E.
- 4.00 Leave Miller Swamp & Enter Oak openings
- 24.83 A W. Oak 18 in. diam.

369

39.00 Enter Wet Prairie

40.00 Set a gr. che. post from which (in Prairie)
a W. Oak 10 ins. diam bears L. 10 W. 135 links dist. &
a D_o 10 " " L. 2 1/2 C 1.25 " .

52 07 Seane Wet Prairie

59. 67 A. N. Oak 10 in. diam.

80.00 Aft a Post Cor. to Sec. 1. N2 from which
a P. Oak 7 in. diam. bears S 50^h W 38 links dist &
a Do 7 " " " N. 25 W. 80 " "
Land level & 2nd rate. Timber Oak.

North On East Boundary of Sec 1. T31 N. R6 E,
 1/4 Sec 1. P. 1.

4. 50 Enloe Met Prairie

24.00 Leave the same

40. 00 It a gr. Sec. post from which
a W. Oak 20 in. diam. bears 41 W 100 links dist. &
a Q 16 " " " 108 9/16 W 106 " "

43.00 Enter Mt. Prairie

52.00 Leave same.

B3. 32 A W. Oak 10 in. diam.

80.00 Octa Timp^o Town Corner.
Land level & Marshy. soil Indurate. Timber Oak.
Oct. 22 1853 Surveyed by
Gloucester Libby Dep^o Surveyor

Subdivisions.

North Between Sec. 35 & 36

March 28th 1834.

22. 50 An Ash 12 in. diam.

23. or Enter West Prairie

30. 50 Lane " "

40.00 One ags etc. part from which
a Buch 6 m. diam. bears N. 85 E 15 links dist. &
a Do 24 " " " N. 65 W 13 " "

57. 76 A Buch 15 " "

80.00 Put a Post Card to Secs. 25. 26. 35 & 36 from which
an Ash 13 in diam. bears N 69° 9 links dist. &

T 31 N. R. 7 E. 2nd Mer Indiana.

2 Buckeye 11 in. diam. bears S. 53 N. 12 links dist. &
 Land level inclining to west. Timber. Beech
 Oak Ash. Hickory. Maple & Sugar. Underg.
 Ironwood. Sugar. Beech. S. Ash. Elm. &c.

East On Random between Sec. 25 & 36.
 50 00 A Brook 40 links wide Course S.E.
 79 24 Intersect N. & S. line on E. Boundary at Post.
 Land level & 2nd rate.

West Corrected between Sec. 25 & 36.
 19.32 A Beech 36 in. diam.
 39.62 At a go. the post from which
 a Beech 12 in. diam. bears N 52 W 24 lks. dist. &
 an Elm 12 " " S 31 E 43 " "
 61.78 An Elm 20 " "
 79.24 To Sec. Corner.

North Between Sec. 25 & 26
 14.41 A Beech 24 in. diam.
 27.50 A Brook 30 links wide. Course S.E.
 40.00 At a go. the post from which
 a Beech 12 in. diam. bears N. 14 E. 9 links dist. &
 a Do 20 " " S. 4 W. 27 " "
 69.60 A Beech 15 " "
 80.00 At a Post Cor. to Sec. 23 24 25 & 26. from which
 a B. Ash 6 in. diam. bears S 62 W. 9 links dist. &
 a Buckeye 18 " " N. 76 E. 14 " "
 Land rolling 2nd rate. Timber. Beech Oak.
 Ash. Sugar. Hickory. Walnut Poplar &c
 Underg. is almost invariably the same

East On Random between Sec. 24 & 25
 79.00 Intersect E. Boundary 10 links North of the Post.
 Land on the West side good.

371

T 31 N. R 7 E 2nd Mer. Indiana.

West Corrected between Sec. 24 + 25
 18.76 A Buck 13 in. diam.
 39.50 Set a q. Sec. post at aver. dist. from which
 an Ironwood 7 in. diam. bears S. 3 N. 14 links dist. &
 a W. Ash 20 " " " N. 7 E 16 " "
 68.45 A Buck 11 " "
 79.00 To Sec. Corner.

North Between Sec. 23 + 24
 24.27 A Buckeye 14 in. diam.
 40.00 Set a q. Sec. post from which
 a Maple 30 in. diam. bears S 5 N 22 links dist. &
 a Buck 20 " " " N 5 E 24 " "
 63.60 A Q. 9 " "
 80.00 Set a Post Cor. to Sec. 13. 14. 23 + 24 from which
 a Buck 7 in. diam. bears N. 1 E 11 links dist. &
 an Elm 12 " " " S 12 E 17 " "
 South 1/2 mile rich. North 1/2 2nd rate Land rolling
 Timber as last described.

East On Random between Sec. 13 + 24
 79.80 Intersect E. Boundary 60 links North of the Pole
 Sand level + swampy. Timber. Maple. Swamp Ash.
 Gum. Hickory. Buck. Poplar. Ironwood. &c.

West Corrected between Sec. 13 + 24
 19.80 A Buck 16 in. diam.
 39.90 Set a q. Sec. post at aver. dist. from which
 a Buck 19 in. diam. bears N. 75 E. 17 links dist. &
 an Ash 22 " " " S 33 N. 13 " "
 59.90 An Ash 22 " "
 79.80 To Sec. Corner.

North Between Sec. 13 + 14
 29.45 A Buck 15 in. diam.
 40.00 Set a q. Sec. post from which

T 31 N. R 7 E 3rd Mer Indiana.

- 58.20 W. R. Oak 22 in. diam. bears N. 86 E. 35 links dist. to
 Buck 14 " " " N. 14 W. 25 " "
 77.07 Enter Marshy Prairie
 80.00 Set a Post Cor. to Sec. 11. 12. 13. & 14 from which
 a Maple 8 in. diam. bears S. 15 W. 20 links dist. &
 a Cherry 80 " " " East 5. 30 " "
 Sand rolling. soil 2nd rate.
-

- East On Ransom between Sec. 12 & 13
 6.07 Leave the Prairie
 79.05 Intersect the N & S line on E. Boundary 80 links North
 of the Post.
 Sand rolling At the gr. Sec post a Large Tamarac
 swamp.
-

- West Connected between Sec. 12 & 13
 18.91 A W. Oak 33 links dist.
 39.52 Set a gr. Sec. post at aver. dist. from which
 a Tamarac 5 in. diam. bears S. 23 E. 21 links dist. &
 a Do 6 " " " N. 54 W. 40 " "
 This post in swamp.
 60.47 A W. Oak 30 in. diam.
 79.05 To Sec. Corner.
-

- North Between Sec. 11. & 12
 6.50 Left Prairie
 24.40 A W. Oak 30 in. diam.
 40.00 Set a gr. Sec. post from which
 a Hickory 16 in. diam. bears S. 67 E. 22 links dist. &
 a W. Oak 36 " " " N. 67 W. 29 " "
 80.00 Set a Post Cor. to Sec. 1. 2. 11 & 12 from which
 a Maple 26 in. diam. bears N. 67 E. 33 links dist. &
 a Buck 20 " " " S. 67 W. 13 " "
 Timber. W. Oak. Ash. Sugar. Maple &c.
-

East On Random between Sec. 1 & 2.

78.50 Intersect E. Boundary 1.80 links North of the Post.
Land not described

West Connected between Sec. 1 & 2

17 40 A Bush 19 in. diam.

39 25 Let a gr. Sec. post at aver. dist. from which
a Bush 8 in. diam. bears S 74 W 6 links dist. &
an Ash 14 " " " N 35 E 21 " "

11 85 A Bush 12 " "

78 50 To Sec. Corner

North Between Sec. 1 & 2

18 50 A Hickory 24 in. diam.

40.00 Let a gr. Sec. post from which
an Ash 12 in. diam. bears N. 23 E. 16 links dist. &
an R. Oak 7 " " " S. 20 W. 20

54 50 An Ash 24 in. diam. bears

92.00 Intersect line of Correction. where made Cor. to
Sec. 1 & 2 from which
a Maple 17 in. diam. bears S 54 W 24 links dist. &
an Ash 7 " " " S 24 E 35 " "
Land on the South 1/2 mile Rolling 2nd rate.
North 1/2 surrounded with swamps March 31st 1834.

North Between Sec. 34 & 35

20.09 A Brook 8 links wide. Course S E.

21 00 A Bush 14 in. diam.

40.00 Let a gr. Sec. post from which
a Bush 20 in. diam. bears S. 30 E. 20 links dist. &
a Do 10 " " " S 81 W 21 " "

50 09 A Bush 15 " "

50.07 Let a Post Cor. to Sec. 26. 27. 34 & 35 from which
a Bush 7 in. diam. bears N. 11 E. 8 links dist. &
a W Oak 30 " " " S 78 W 24 " "

Land rolling & 2nd rate. Timber. Bush. Oak. Ash.

T. 31. N. R. 7. E. 2nd Mer. Indiana

Poplar. Walnut. &c. Underg^t. Ironwood. Sugar.
Buck. Elm. &c.

East On Random between Sec. 26 & 35

79.00 Intersect N & S line 56 links North of the Post
Land level & swampy. Timber. Buck. Oak. Ash.
Elm. Maple. &c. Underg^t. Swamp Ash. Buck &c.

West Intersected between Sec. 26 & 35

17.27 A Buckeye 15 in. diam.

39.84 Set a g. Sec. post from which
a Buck 16 in. diam. bears N. 82 E. 15 links dist. &
an Oak 16 " " " N. 74 W. 20 " "

59.80 An Ash 36 " "

79.08 to Sec. Corner.

North Between Sec. 26 & 27

28.00 An Ash 30 in. diam.

40.00 Set a g. Sec. post from which
a Buck 24 in. diam. bears S. 65 W. 27 links dist. &
a Do 10 " " " N. 36 E. 18 " "

63.78 An Ash. — " "

67.60 A Brook 12 links wide. Course S.E.

80.00 Set a Post Cor. to Sec. 22. 23. 26 & 27 from which
a Buck 11 in. diam. bears S. 44 W. 9 links dist. &
a W. Oak 18 " " " N. 85 E. 18 " "

Some good Bottom on the Brook & on the South
1/2 mile. The remainder swampy.

Apr. 1st 1834

East On Random between Sec. 23 & 26

80 45 Intersect N & S line 1.65 links North of the Post.
Land on the West 1/2 mile wet. East 1/2 mile dry
and bare. Timber. Buck. Sugar. Oak. Ash.
Buckey. Hickory. Elm. Walnut. &c.

- West Corrected between Sec. 23 & 26
 23. 01 A Beech 19 in. diam.
 40. 22 $\frac{1}{2}$ Set a g. Sec. post at aver. dist. from which
 a Beech 18 in. diam. bears S 89 E. 16 links dist. &
 a Do 22 " " " N. 4 E. 23 " "
 62. 80 A Beech 12 " "
 80 45 To Sec. Corner

- North Between Sec. 22 & 23
 21 25 A Beech 20 in. diam.
 40. 01 Set a g. Sec. post from which
 a Sugar 12 in. diam. bears S 84 N. 10 links dist. &
 a Beech 15 " " " S 70 E 32 " "
 44. 70 A Beech 13 " "
 80. 00 Set a Post Cor. to Sec. 14, 15, 22, & 23 from which
 a Dogwood 6 in. diam. bears S 21 N. 16 links dist. &
 an Ironwood 6 " " " N 17 E 6 " "
 Sand rolling interspersed with many small
 millen & wild rose bush swamps. Soil thin
 considerable Oak Timber.

- East On Random between Sec. 14 & 23
 79. 91 Intersect N & S line 11 links South of Post.
 Sand & Timber as before.
 Yesterday's rain has filled up every basin of
 which. there are many.

- West Corrected between Sec. 14 & 23
 20. 91 A W. Oak 40 in. diam.
 39. 95 $\frac{1}{2}$ Set a g. Sec. post at aver. dist. from which
 an Elm 16 in. diam. bears N. 63 E. 11 links dist. &
 a Do 16 " " " S. 52 N. 23 " "
 60. 29 A Beech 17 " "
 79 91 To Sec. Corner.

- North Between Sec. 14 & 15

T 31 N. R 7 E Ind. Mer. Indiana.

- 24.05 A Maple 12 in. diam.
 40.00 Set a gr. Sec. post from which
 a Hickory 19 in. diam. bears S. 11 E. 17 links dist &
 a Do 16 " " " N. 11 W. 24 " "
 52.74 An R. Oak 24 in. diam.
 65.00 A Swamp & Prairie. part of both.
 80.00 Set a Post Cor. to Sec. 10. 11. 14 15 from which
 a Black Oak 18 in. diam. bears S. 15 W. 35 lks dist &
 a Do 18 " " " N. 1 W. 63 " "
 Land poor. Timber Oak.

East On Random between Sec. 11 14
 79.95 Intersect N & S. line 95 links E. of the Post.
 Land rolling & poor. Timber Oak. very little
 Undergr.

- West Corrected between Sec. 11 14
 20.07 A W. Oak 24 in. diam.
 39.97 Set a gr. Sec. post at area dist from which
 an Ironwood 11 in. diam. bears S. 22 W. 14 lks. dist &
 an Ash 13 " " " S. 83 E. 13 " "
 60.20 A W. Oak 24 " "
 79.95 To Sec. Corner

- North Between Sec. 10 11
 24.60 A Hickory 13 in. diam.
 40.00 Set a gr. Sec. post from which (on Wet Prairie)
 a W. Oak 20 in. diam. bears S. 83 W. 3.34 links dist &
 an Ash 17 " " " North 8.20 " "
 55.26 A Hickory 16 " "
 80.00 Set a Post Cor. to Sec. 2. 3. 10 11 from which
 a W. Oak 40 in. diam. bears S. 15 W. 12 lks dist &
 a Beech 20 " " " N. 50 W. 23 " "
 Thin Oak & Hickory Land South 1/2 mile
 inclining to Barrens.

377

T 31 N. R 7 E. 2nd Mer Indiana.

East On Random between Sec. 2 & 11

79 70 Intersect N. & S line 50 links South of the Post

Sand level & Swampy

63.50 A Sarge Maple Swampy.

Timber. Beech. Ash. Oak. &c.

West Corrected between Sec. 2 & 11

19 50 An R. Oak 18 in. diam.

39 85 Set a g. che. post at aver. dist. from which
an R. Oak 5 in. diam. bears N. 69 E. 16 links dist. &
an Ironwood 9 " " S. 80 W. 12 " "

60.20 A Hickory 18 " "

79.70 To che. Corner

North Between Sec. 2 & 3

29.95 A Sugar 22 in. diam.

40.00 Set a g. che. post from which
an Ash 10 in. diam. bears N. 46 W. 14 links dist. &
an Ironwood 4 in. " " S. 12 E. 25 " "

55.60 A W. Oak 19 " "

92 35 Intersect the line of Correction & set a Post Cor. to
Sec. 2 & 3 from which

an Ash 10 in. diam. bears S. 58 W. 10 links dist. &
a W. Oak 36 " " S. 38 E. 1.39 " "

South 1/2 mile level 2nd rate land. North 1/2 mile
Rolling poor Sand interspersed with Prairie. On
the North 1/2 mile. Appearance of Prairie to the East.
of 55 chains April 2nd 1834.

North Between Sec. 33 & 34

1. 25 A Brook 7 links wide. Course SE.

22.75 A Beech 19 in. diam.

40.00 Set a g. che. post from which

a Beech 18 in. diam. bears S. 29 W. 11 links dist. &
an Elm 11 " " N. 50 E. 12 " "

58.83 An R. Oak 25 in. diam.

T. B. N. R. 7. E. 2nd Mer. Indiana.

50.00 Set a Post Cor. to Sec. 27. 28. 33. & 34 from which
 a Beech 20 in. diam. bears N. 11 W. 18 links dist &
 a Do 20 " " " S. 76 E. 12 "
 Land 2nd rate. Timber. Beech. Sugar. Poplar.
 Elm. Walnut. Undergth Dogwood. W. Beech. Elm
 Hornbeam. Ash. Bitter Ash &c.

East Random between Sec. 27 & 34.
 50.15 Intersect 14 links south of the Post
 Land level & inclining to wet Timber. Beech.
 Swamp Ash. Hickory. Poplar. W. Oak. &c.
 Undergth Dogwood. Beech. Hornbeam. Elm. Ash
 Maple. &c.

West Corrected between Sec. 27 & 34
 26.84 A W. Oak 24 in. diam.
 40.07 1/2 Set a gr. Sec post at aver. dist from which
 a Maple 15 in. diam. bears S. 63 E. 24 links dist &
 a Do 14 " " " N. 74 W. 8 "
 This post in small Maple swamp.
 74.97 A Beech 16 in. diam.
 80.15 To Sec. Corner.

~~North Between Sec. 27 & 28~~
~~24.50 An Elm 16 in. diam.~~
~~40.00 Set a gr. Sec post from which~~
~~a Beech 19 in. diam. bears S. 80 E. 24 links dist~~
~~a Do 14 " " " S. 81 E. 58 " "~~
~~Sand & Timber as last described.~~

See end of Township

East On Random between Sec. 22 & 27.
 68.50 A Brook 12 links wide. Course S.E.
 79.90 Intersect N. & S line 109 links North of the Post
 Land on East 1/2 mile 2nd rate Timber as before.

West Corrected between Sec. 22 & 27.

T. N. B. 7 E 3rd Mer. Indiana

379

39. 95 Set a q. Sec. post at aver. dist. from which
an Elm 12 in. diam. bears S. 23 E. 29 links dist. &
an Ash 5 " " " N. 79 W. 9 " "
72. 10 An Ash 42 " "
79. 90 To Sec. Corner.

North Between Sec. 21 & 22

14. 25 A Beech 15 in. diam.
40. 00 Set a q. Sec. post from which
an Ash 12 in. diam. bears N. 38 W. 12 links dist. &
a W. Beech 11 in. " " S. 79 E. 15 " "
71. 70 An Ash 12 " "
80. 00 Set a Post Corner to Sec. 15. 16. 21 & 22 from which
a Beech 12 in. diam. bears N. 16 E. 12 links dist. &
a Do 12 " " " N. 81 W. 8 " "
Land level & swampy.

East On Random between Sec. 15 & 22

79. 82 Intersect N. & S. line 86 links North of the Post.
Land gently rolling but poor. Timber. Oak. Beech.
Hickory. Sugar. Dogwood. Elm. Gyna. &c.

West Corrected Between Sec. 15 & 22.

20. 44 An Elm 12 in. diam.
39. 91 Set a q. Sec. post at aver. dist. from which a
Beech 18 in. diam. bears N. 10 W. 40 links dist. & a
W. Oak 30 " " " S. 75 W. 38 " "
This post in a small recent wind-fall.
72. 70 A W. Oak 50 in. diam.
79. 82 To Sec. Corner

North Between Sec. 15 & 16

33. 30 A Sugar 18 in. diam.
40. 00 Set a q. Sec. post from which
a Beech 12 in. diam. bears S. 76 E. 54 links dist. &
a Do 16 " " " S. 77 W. 8 " "

T. B. A. R. 7. E. 2nd Mer. Indiana.

47. 90 A Sugar 20 in. diam.

80. 00 Set a Post Cor. to Sec. 9. 10. 15 H6 from which
an Elm 18 in. diam. bears N. 9 E. 3 links dist. &
an Ash 32 " " " S. 22 W. 35 " "
Land rolling & 2nd rate. Heavy Timber & free from
swamps. Particularly the North 1/2 mile.

East On Randem between Sec. 10 H6

37. 00 Enter Marshy Prairie skirted with Tamarac.

80. 00 Intersect N & S line 50 links North of the Post.
West 1/2 mile rolling good Land. East 1/2 Marshy
Prairie. ponds & Tamarac swamps.

West Cornered between Sec. 10 H5

40. 00 Set a q. Sec. post from which
a Cottonwood 12 in. diam. bears S. 3 W. 280 links dist.
& a Do 8 " " " N. 87 W. 370 " "
An R. Oak 50 in. diam.

80. 00 To Sec. Corner. Apr. 3^d 1834

North Between Sec. 9 H0

40. 00 In a Lake which is so surrounded with swamp
& close underbrush. that its size or character could
not be known.

The entire South 45 chains of this line may be
considered totally waste Land.

We passed that part which was inaccessible by an
Offset to the East at right angles.

50 00 A W. Oak 20 in. diam.

65. 00 Intersect the most Easterly point of a small Lake
which extends to the S. W.

80. 00 Set a Post Cor. to Sec. 3. 4. 9. H0 from which
a Hickory 12 in. diam. bears N. 35 W. 18 links dist. &
a W. Oak 33 " " " S. 19 E. 29 " "

Land not described

East On Random between Sec? 3 & 40

79.47 Intersect N. & S. line 34 links North of the Post.

Land level & Dry soil 2nd rate. Timber. Beech.

Oak. Hickory. &c. Undergrowth. Dogwood. Sycamore. Elm. &c.

West Corrected between Sec? 3 & 40

19.32 A Beech 13 in. diam.

39.75 Set a q. Sec. post at aver. dist. from which
an Elm 17 in. diam. bears S. 11 W. 13 links dist. &
a Beech 21 " " " N. 14 W. 27 " "

88.57 A W. Oak 36 " "

79.47 To Sec. Corner

North Between Sec? 3 & 4

14.90 A W. Oak 21 in. diam.

40.00 Set a q. Sec. post. from which
a Sugar. 19 in. diam. bears S. 83 E. 36 links dist. &
a Poplar 23 " " " S. 75 W. 22 " "

73.95 An Aspen 19 " "

91.70 Intersect the line of correction 19.27 East of the Post.

Cor. of Sec? 31 & 32. T. 32. N. R. 7 E. & set a Post.

Cor. of " 3. & 4. from which

a Hickory 20 in. diam. bears S. 62 E. 75 links dist. &

a W. Oak 16 " " " S. 52 W. 73 " "

South 1/2 mile rolling rich. & beautiful. North
open woods inclining to Barrens. interspersed
with wet Prairies. At about 10 or 15 chains N. E. W.
from the Corner of Sec? 3 & 4 on the line of Correction
is a small Lake 6 or 8 chains wide. and perhaps
10 chains long.

North Between Sec? 32 & 33

9.25 A Beech 10 in. diam.

20.50 A Brook 10 links wide Course S. W.

40.00 Set a q. Sec. post from which

a Beech 30 in. diam. bears S. 67 E. 4 links dist. &

T 31 N. R 7 E. 1st Mer. Indiana.

Beech 7 in. diam. bears N. 49 W. 22 links dist
 53.90 An H Oak 20 in. diam.
 80.00 Set a Post Corner to Secs. 28, 29, 32 & 33 from which
 a Beech 24 in. diam. bears N. 4 E 20 links dist &
 a Do 10 " " " S. 18 W 22 " "
 Land on the South 1/2 mile rolling. North 1/2 level
 2nd rate. Timber Beech. Oak. Ash. Poplar, &c.

East On Random between Secs. 28 & 33
 79.00 Intersect N & S line 1.25 links North of the Post.
 Land level. Soil 3rd rate. Timber. Beech. Oak.
 Hickory. Ash. Elm. Sycamore & Undergrowth Beech.
 " Sycamore. Swamp Ash. &c.

West Corrected between Secs. 28 & 33
 14.40 A Maple 10 in. diam.
 39.50 Set a gr. Sec. post at an even dist. from which
 a W. Oak 30 in. diam. bears S. 5 E 9 links dist &
 a Do. 24 " " " N. 5 W. 10 " "
 50.20 A Beech 20 in. diam.
 79.00 To Sec. Corner.

North Between Secs. 28 & 29
 19.08 A Cottonwood 7 in. diam.
 40.00 Set a gr. Sec. post from which
 an Elm 11 in. diam. bears S. 3 W. 13 links dist &
 a Do. 16 " " " S. 81 E 45 " "
 59.53 A Walnut 24 in. diam.
 80.00 Set a Post Corner to Secs. 20, 21, 28 & 29 from which
 a Maple 4 in. diam. bears S. 19 E. 2 links dist &
 an Elm 12 " " " N. 70 W. 7 " "
 Land level & swampy Apr. 4th 1834

East On Random between Secs. 21 & 28
 79 00 Intersect N & S line 85 links North of the Post.
 Land level & 2nd rate. Timber as last mile.

383

T 31 N. R 7 E. 2nd Mer. Indiana.

West Corrected between Secs 21 & 28

18. 54 A Beech 20 in. diam.
 39. 50 Set a gr. Sec. post at aver. dist. from which
 a W. Oak 43 in. diam. bears S 25 E 35 links dist. &
 a Beech 10' " " " N 24 E 27 " "
 58. 50 A W. Oak 17 " "
 79 00 To Sec. Corner

North Between Secs 20 & 21.

15. 09 A W. Oak 36 in. diam.
 40. 00 Set a gr. Sec. post from which
 a W. Beech 4 in. diam. bears N 50 E 28 links dist. &
 an Elm 19 " " " S 74 N 13 " "
 50 00 A Hickory 19 " "
 80. 00 Set a Post Cor. to Secs 10. 17. 20 & 21 from which
 a Hickory 10 in. diam. bears S 57 W 18 links dist. &
 a Dr 10 " " " N. 18 W 20 " "
 Sand Rolling but poor swamps on every hand.
 Timber on the dry Sand is Ash & Hickory.

East On Ransom between Secs 16 & 21.

78. 00 Intersect N & E line 300 links North of the Post.
 Land level & fertile. Timber as before.

West Corrected between Secs 16 & 21.

60. 84 A W. Oak 16 in. diam.
 39. 00 Set a gr. Sec. post at aver. dist. from which
 an Ironwood 8 in. diam. bears S 35 W 19 links dist. &
 an Elm 5 " " " N. 35 E. 12 " "
 78 00 To Sec. Corner. Apr. 5th 1834.

North Between Secs 16 & 17

7. 00 A W. Oak 30 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Walnut 30 in. diam. bears N 72 E 27 links dist. &
 a Hickory 5 " " " N. 30 W. 6 " "

T 31 N. R 7. E. 2nd Mer. Indiana.

53.20 A W. Oak 30 in. diam.

80.00 Set a Post Cor. to Sec. 8. 9. 16. & 17 from which
a Hickory 22 in. diam. bears S. 35 E. 42 links dist. &
a Hornbeam 5 " " " N. 56 W. 5 " "
South 1/2 mile open. North 1/2 rich. Timber. Beech.
Oak. Ash. Sugar. &c. Undergth. Dogwood. Ironwood.
Water Beech. Elm.

East On Random between Sec. 9 & 10

78.45 Intersect N. & S. line 89 links south of the Post.
Land rolling 2nd rate. Timber. Oak. Hickory. Elm.
Poplar. Sugar. &c.

West Corrected between Sec. 9 & 10

16.95 A Maple 12 in. diam.

39.22 Set a gr. Sec. post at aver. dist. from which
an Elm 5 in. diam. bears N. 85 E. 8 links dist. &
a Hickory 24 " " " S. 84 W. 17 " "

64.02 An Ash 8 " "

78.45 To Sec. Corner.

North Between Sec. 8 & 9

18.21 An R. Oak 20 in. diam.

40.00 Set a gr. Sec. post from which
a Sassafras 5 in. diam. bears S. 54 W. 12 links dist. &
a " 6 " " " S. 20 E. 12 " "

70.82 A Black Oak 19 in. diam.

80.00 Set a Post Cor. to Sec. 4. 5. 8 & 9 from which
a Poplar 24 in. diam. bears S. 10 W. 8 links dist. &
a W. Oak 5 " " " N. 10 E. 4 " "

South 1/2 mile 2nd rate. North 1/2 swampy.

East On Random between Sec. 4 & 5.

57.50 Enter very close mry. Mallow Swamp.

62.00 Intersect the most Northern Margin of a small Lake.

65.00 Enter skirt of Oak Timber.

- 71.00 Enter Marshy swamp.
 74.00 Outlet to swamp & Lake which puts to North. and was found to be inaccessible on account of mire.

- Wob - Corrected between Secs 4 & 9
 40.00 Set a gr. Sec. post at the Cor. of Secs 4. 5. 8 & 9 from which
 a Hickory 10 in. diam. bears S 9 E 26 links dist &
 a Poplar 18 " " " N 55 W 19 " "
 24 74 A Sugar 15 " " from gr. Sec. Corner.
 April 7th 1834

- North Between Secs 4 & 5
 15.30 A Poplar 56 in. diam.
 40.00 Set a gr. Sec. post from which
 a W. Oak 22 in. diam. bears S 70 E. 11 links dist &
 a Do 20 " " " N 4 W 22 " "
 60.07 An Ash 11 " "
 92.00 A Brook 25 links wide. Course S 6 W
 94.17 Intersect line of correction where made Cor. to Secs
 4 & 5 from which
 an Elm 20 in. diam. bears S 45 E. 30 links dist &
 a Do 20 " " " S 24 W 27 " "
 Poor rolling Oak Sand. Undergr. very close
 Dogwood. Sapafres. Oak. Ash.

- North Between Secs 31 & 32.
 14.37 A Beech 18 in. diam.
 20.00 A Brook 7 links wide. Course S. E.
 40.00 Set a gr. Sec. post from which
 a Beech 20 in. diam. bears S 35 E 13 links dist &
 a Do 16 " " " N 35 W 16 " "
 69 40 A Sugar 16 " "
 80.00 Set a Post Cor. to Secs 29. 30 31. & 32 from which
 an O. Oak 38 in. diam. bears S 85 W 26 links dist &
 an Ash 28 " " " S 41 E 43 " "
 South 1/2 mile rolling. Soil good. North 1/2 level

T 31 N. R. 7 E. 2nd Mer. Indiana.

inclining to Mt. Timber. Beech. Oak. Ash. Sugar
Hickory Elm. Gynn. &c.

East On Random between Sec. 29 & 32
74.25 A Brook 8 links wide. Course South.
79.25 Intersect N & S line 1. 05 links North of the Post.
Land & Timber as before.

West Corrected between Sec. 29 & 32.
22.16 An Elm 17 in. diam.
39.62½ Set a gr. Sec. post at area. dist. from which
a Beech 11 in. diam. bears S 13 W. 9 links dist. &
a Sugar 13 " " " N. 46 E. 11 " "
68.64 An Elm 18 " "
79.25 To Sec. Corner

West Between Sec. 30 & 31 On Random
40.25 A Brook 6 links wide. Course South.
65.40 Intersect the West Boundary 55 links South of Post.
Set a Post con. to Sec. 30 & 31 from which
a Beech 15 in. diam. bears East 20 links dist. &
a D. 6 " " " N. 30 E. 29 " "
Sand 2nd rate.

East Corrected between Sec. 30 & 31
25.40 Set a gr. Sec. post from which
a Beech 18 in. diam. bears N. 5 E. 5 links dist. &
a D. 7 " " " S 10 W. 13 " "
50.00 An Elm 56 " "
65.40 To Sec. Corner.

North Between Sec. 29 & 30
40.00 Set a gr. Sec. post from which
a Walnut 30 in. diam. bears N. 33 E. 14 links dist. &
a D. 20 " " " S 44 E. 8 " "
55.91 An Elm 30 " "

387

T. 31. N. R. 7. E. 2nd Mer. Indiana.

66. 00 Set a Post Cor. to Sec. 19. 20. 29. & 30 from which
 a W. Oak 38 in. diam. bears S. 30 W. 8 links dist. &
 a Do 18 " " " N. 56 W. 20 " "
 Land on the South 1/2 mile good. North 1/2 miserable.

East On Random between Sec. 20 & 29
 10. 00 Enter New Prairie
 24. 50 Leave the same Course S & E
 79. 90 Intersect N & E line 3.90 links North of the Post
 Rolling poor Land. East of met.

West Connected between Sec. 20 & 29
 19. 80 A W. Oak 17 in. diam.
 39. 95 Set a gr. Sec. post at aver. dist. from which
 a Hickory 18 in. diam. bears S. 14 E. 20 links dist. &
 an Ironwood 8 " " " N. 48 E. 19 " "
 73. 52 A W. Oak 24 " "
 79. 90 To Sec. Corner.

West On Random between Sec. 19 & 30.
 64. 91 Intersect West Boundary 42 links North of the Post.
 At Old Cor. Made Cor. to Sec. 19 & 30 from which
 a Beech 19 in. diam. bears N. 74 E. 9 links dist. &
 a Hickory 14 " " " S. 4 W. 32 " "
 Sand level & 2nd rate. Timber: Beech, Ash, Oak,
 Hickory, Elm &c.

East Connected between Sec. 19 & 30
 10. 09 A Beech 14 in. diam.
 24. 91 Set a gr. Sec. post from which
 a Hornbeam 5 in. diam. bears N. 57 E. 3 links dist. &
 a W. Oak 30 " " " S. 71 W. 33 " "
 44. 81 A Hickory 16 " "
 64. 91 To Sec. Corner.

North Between Sec. 19 & 20

T 31 N. R 7 E 2nd Mer. Indiana.

19. 45 A W. Oak 16 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Hickory 11 in. diam. bears N. 51 W. 29 links dist. &
 a Do 12 " " " N 63 E 22 " "
 54. 38 An R. Oak 30 " "
 80. 00 Set a Post Cor. to Secs. 17, 18, 19, & 20 from which
 a W. Oak 33 in. diam. bears S. 25 E. 30 links dist. &
 a Do 36 " " " N. 16 W. 17 " "
 South 1/2 mile swampy. North 1/2 rolling & good 2nd rate
 no change in the timber.

East On Random between Secs. 17 & 20
 80. 50 Intersect N & S line 59 links North of the Post.
 At midway on this line is a chain of swamps.
 indivisible

- West Corrected between Secs. 17 & 20.
 20. 98 A Bush 20 in. diam.
 40 25 Set a gr. Sec. post at aver. dist. from which
 an Elm 9 in. diam. bears S. 53 E. 4 links dist. &
 a Do 11 " " " N. 80 W. 5 " "
 68 50 A Hickory 13 in. diam.
 80 50 To Sec. Corner.

West On Random between Secs. 18 & 19
 65. 50 Intersect West Boundary 1.44 links North of the Post
 in neck of Marshy Prairie. At Corner. Set a Post
 Cor. to Secs. 18 & 19 from which
 a Willow 5 in. diam. bears S. 18 E. 54 links dist. &
 a Do 4 " " " S. 76 E. 42 " "
 Sand Rolling 2nd rate Timber. Birch. Oak Ash
 Hickory. Sugar. & Walnut.

East Corrected between Secs. 18 & 19
 25 50 Set a gr. Sec. post on true line. from which
 an Ash 11 in. diam. bears N. 12 E. 33 links dist. &

an Ash 4 in. diam. bears S 23° W 15 links dist.
 57.15 A Walnut 11 in. diam.
 65.00 To Sec. Corner.

North Between Secs. 17 & 18

30.40 An Elm 12 in. diam.

40.00 Set a q. Sec. post from which
 a Maple 9 in. diam. bears S. 39° E. 14 links dist. &
 an Elm 8 " " " S. 82° W. 16 " "

At 40 chains a Maple swamp Course S W & S E.

69.88 An R. Oak 16 in. diam.

80.00 A Hickory 5 " " is Corner to Secs. 7. 8. 17 & 18

from which an
 Ash 5 in. diam. bears N 5° W. 16 links dist. & a
 G. 6 " " " S. 1° W. 14 " "

Land good except the Maple swamp. Timber. Oak
 Ash. Hickory. Sugar. Beech. Elm. &c. Dogwood
 Ironwood &c.

East On Ransom between Secs. 8 & 17

79.68 Intersected N. & S line 73 links North of the Post.

Land rolling & rich 1st rate. Timber. Sugar. Ash
 Walnut &c. Undergrowth. Elm. Dogwood. Hornbeam
 Pawpaw. &c.

West Connected between Secs. 8 & 17

22.02 An Ash 20 in. diam.

39.84 Set a q. Sec. post at aver. dist. from which
 a Hornbeam 11 in. diam. bears N 40° W 15 links dist. &
 a W. Beech 5 " " " S 6° W 10 " "

63.60 An R. Oak 16 " " "

79.68 To Sec. Corner.

North Between Secs. 7 & 8

20.50 A Beech 30 in. diam.

40.00 Set a q. Sec. post from which

T 31 N. R 7 E 2nd Mer. Indiana.

Hickory 19 in. diam. bears S 87 E 13 links dist. & an
 Ash 17 " " " N 20 W 15 " "
 75.54 A Sycamore 20 in. diam.
 80.00 Set a Post Cor. to Secs 5, 6, 7, & 8 from which
 a Hornbeam 12 in. diam. bears S 24 E 20 links dist. &
 a Hickory 13 " " " N 71 E 16 " "
 South $\frac{1}{2}$ mile good. North $\frac{1}{2}$ poor.

West Between Secs 7 & 18 On Random
 65.74 Intersect the West Boundary 1.54 links North of the Post
 Set a Post Cor. to Secs 7 & 18 from which
 an Aspen 10 in. diam. bears N 14 W 43 links dist. &
 " Do 20 " " " S 84 E 36'8" " "
 in open mry ground.
 East $\frac{1}{2}$ mile good. West $\frac{1}{2}$ poor.

East Corrected between Secs 7 & 18
 25.74 Set a q. the post on true line from which
 an H. Oak 10 in. diam. bears N 21 E 44 links dist. &
 a Cherry 9 " " " S 7 W 8 " "
 58.73 A Poplar 24 " "
 65.74 To the Corner. Apr. 9th. 1834.

East On Random between Secs 5 & 8
 79.40 Intersect N & S line 54 links North of the Post
 Land rather poor. Timber. Oak & Sassafras.

West Corrected between Secs 5 & 8
 19.40 A Walnut 12 in. diam.
 39.70 Set a q. the post at aver dist. from which
 a Poplar 7 in. diam. bears S 89 W 24 links dist. &
 a W. Oak 24 " " " N 19 E 34 " "
 60.70 A Do 26 " "
 79.40 To the Corner.

West On Random between Secs 6 & 7.

391

T 31 N. R 7 E. 2nd Mer. Indiana.

27.50 Enter Mt Prairie

54.00 Leave " "

66.10 Intersect the West Boundary 1.70 links North of the Post.

Cor. of Sec. 1 & 12. T 31. N. R 6 E 2nd Mer. & set a

Post Cor. of Sec. 6 & 7 from which

a W. Oak 16 in. diam. bears S 7 E 53 links dist. &

an H Oak 8 " " " S 85 E 1.18 " "

The high ground is poor. thinly timbered with Oak.
no Undergrowth.

East Corrected between Sec. 6 & 7

26.10 Set a g. the post on true line from which

a W. Oak 36 in. diam. bears S 88 W 105 links dist. &

a D 18 " " " N 14 E 1.19 " "

45.76 An H Oak 24 in. diam.

66.10 To Sec. Corner.

North Between Sec. 5 & 6

30.88 A W. Oak 24 in. diam.

40.00 Set a g. the post from which

a Hickory 20 in. diam. bears N 76 E 16 links dist. &

a D 12 " " " S 23 E 14 " "

43.25 Enter Mt Prairie

66.00 Leave " "

93.70 Intersect the line of Connection where set a Post

Cor. to Sec. 5 & 6 from which

a W. Oak 20 in. diam. bears S 34 W 36 links dist. &

a D 20 " " " S. 40 E 35 " "

Poor Oak Land. no Underbrush

App. 8th 1834.

The Northern portion of this Township seems to be
the summit or table land between the waters of
Cul River & Wippecanoe — what land is dry is
mostly rolling and good. but the swamps are interminable

T. 31. N. R. 7. E. 2nd Mer. Indiana.

North Between Sec. 27 & 28

24. 50 An Elm 16 in. diam.

40. 00 Set a g. Che. post from which

a Buck 19 in. diam. bears S. 80 E. 24 links dist. &

a Do 18 " " " N. 80 W. 17 " "

53. 00 A Buck 21 " "

80. 00 Set a Post Corner to Sec. 27 & 28 21 & 22 from which

a Buck 17 in. diam. bears N. 54 W. 4 links dist. &

a Do 11 " " " S. 81 E. 38 " "

Sand & Timber as described.

Surveyed by
John Hendricks.
Dep. Surveyor.

Twp. N. R. 7 E 2nd Mer. Indiana.

393

I hereby Certify, that in pursuance of a Contract with
Micajah T. Williams, Surveyor General of the
United States, for the States of Ohio Indiana and
the Territory of Michigan, bearing date the 27th day
of December 1833, and in good conformity to the Laws
of the United States, and the instructions of the
said Surveyor General, I have surveyed and sub-
divided into sections, Township No 31 North of
Range No 7 East of the 2nd Mer. in the State of
Indiana, and I do further Certify that the
foregoing are the true and mostly the original
Field Notes of the said survey and subdivisions
executed as aforesaid.

John Hendricks C. S.

William Nash }
William Shelton } Chainmen

Abram V. Hendricks Marker.

I Certify that the foregoing transcript of the Field
Notes of Township No 31 North of Range No 7 East
of the 2nd Mer. Indiana, has been compared with the
original Notes in this Office, and found to be correct.
Surveyor General's Office.

Cincinnati

Sep. 26. 1844

William Johnston
Sur. Genl.